## APPENDIX Q - Preparation Guidelines for Project Scope Summary Report (Urban Freeway Off Pavement Access)

## **Table of Contents**

APPENDIX Q - Preparation Guidelines for Project Scope Summary Report (Urban Freeway	
Off Pavement Access)	Q-3
ARTICLE 1 - Overview	Q-3
Use of Project Scope Summary Report (Urban Freeway Off Pavement Access)	Q-3
ARTICLE 2 - Guidelines for Completing the PSSR (Urban Freeway Off Pavement Access)	_
Form	Q-3
General	Q-3
Cover Sheet	Q-3
Registered Civil Engineer's Stamp and Statement	Ō-5

## APPENDIX Q - Preparation Guidelines for Project Scope Summary Report (Urban Freeway Off Pavement Access)

### **ARTICLE 1 - Overview**

## **Use of Project Scope Summary Report (Urban Freeway Off Pavement Access)**

These guidelines provide information to be used with the procedures described in Chapter 9, Article 11, for urban freeway off pavement access projects. The Project Scope Summary Report (PSSR) for urban freeway off pavement access projects satisfies the requirements for both the Project Study Report (PSR) and the Project Report (PR) for projects in the HA28 Program. When the PSSR (Urban Freeway Off Pavement Access) form is completed and approved by the District Director or their designee and a Categorical Exemption/Exclusion Form or draft environmental document is attached, it serves as the project approval document.

# ARTICLE 2 - Guidelines for Completing the PSSR (Urban Freeway Off Pavement Access) Form

#### General

The PSSR (Urban Freeway Off Pavement Access) format is a "fill-in the blanks" type of report. The information needed to be supplied should be fairly self-explanatory from reading the form. The following background information is being provided to supplement only those sections of the report that require additional guidance.

#### **Cover Sheet**

All PSSRs should have a standard cover sheet to provide project identification information and signatures. Information to be provided includes the following:

Title

Indicate "Project Scope Summary Report (Urban Freeway Off Pavement Access)".

#### • File Reference

<u>District-County-Route-Kilometer Post (Post Mile) [Dist-Co-Rte-KP(PM)]</u>

The Kilometer Post should be given to the nearest 0.1 kilometer; if the project is 0.2 kilometers or more in length, give both the beginning and ending Kilometer Posts. Post Miles should follow Kilometer Posts if needed for continuity of file references or other reasons.

#### Responsible Unit (RU)

The unit source code of the registered civil engineer in charge of the technical features of the project.

#### Expenditure Authorization (EA)

The multiphase EA, using the "0" phase for the project.

#### Month Year

Give the month and the year the report is being prepared in.

#### Vicinity Map

A small map showing the project limits consistent with the brief description and Kilometer Posts, and a north arrow. The map should be sufficient to locate the project at a glance for a person unfamiliar with the project. It should show the features used to identify the project limits such as roads, streams, junctions or railroads, and the nearest town (unless too distant), and a note indicating the direction to and name of the next town in each direction.

• (	On I	Route	From	To	

A brief written description of the project limits that corresponds to the Kilometer Posts given above and ties the limits to commonly known physical features on the ground that can be identified on available mapping.

#### • Right of Way Certification

The statement shown must be used (and signed by the District Division Chief Right of Way) indicating the review of the right-of-way information contained in the PSSR and the R/W data sheet attached to it, and a finding that the data is complete, current and accurate.

#### Recommended Approval

A recommendation for approval must be signed by the Project Manager as an indication that all appropriate studies have been included and as an indication that the proposal is in accord with Caltrans' policies.

#### Approval

The approval of the PSSR recommendations, signed and dated by the District Director or their designee. The date of signing becomes the official project approval date.

#### Registered Civil Engineer's Stamp and Statement

The second page of the PSSR (Urban Freeway Off Pavement Access) contains the required stamp or seal and signature of a registered civil engineer who is the person in responsible charge. The sheet must include a statement indicating that the registered civil engineer attests to the technical information contained herein and the data upon which recommendations, conclusions, and decisions are based. Approval of the PSSR is a management decision and is separate from this technical signature of the person in responsible charge.



Dist - Co - Rte, KP(PM) RU - EA RAS - HA28 Program Month/Year

# PROJECT SCOPE SUMMARY REPORT (Urban Freeway Off Pavement Access)

Vi	cinity Map	
	Show:	
	<ul><li>Project limits</li><li>North Arrow</li></ul>	
On Route		
From		
To		
I have reviewed the right of way ing Report and the R/W Data Sheet attacand accurate:	formation contained in this hed hereto, and find the da	r Project Scope Summary ta to be complete, current,
	DISTRICT DIVISION CH	MIEF – RIGHT OF WAY
APPROVAL RECOMMENDED:		
	PROJECT MAI	VAGER
APPROVED:		
DISTRICT DIREC	TOR	DATE

Dist - Co - Rte, KP(PM)

This Project Scope Summary Report has been prepared under the direction of the following registered civil engineer. The registered civil engineer attests to the technical information contained herein and the engineering data upon which recommendations, conclusions, and decisions are based.

REGISTERED CIVIL ENGINEER

DATE



## Outline For PROJECT SCOPE SUMMARY REPORT (Urban Freeway Off Pavement Access)

Envi	ronmental (	Status:_						
	Date Ap	proved:		<u>_</u>				
Traff	ric Data							
	Present	ADT		2	0-Year	ADT		
	DHV_			%	Truck	s		
	Location Corn dway Geom	rective S	ctual rates accident Strategy formatic Through	Concentration: : on  Fraffic Lanes	Paved S			
acility	Minimum Curve	No. of Lanes	Lane Width	Type (AC, PCC, or AC over PCC)	Left	Right	Median Width	Yes or No
				,				
d. Stds.								

#### 6. **Structures Information**

			Stand	Standards Met?				Existing	Condition	
Structure	Width Between Curbs		Bridge Rail	Bridge Approach Rail		l Clearanc Main-Line		Bridge Approach Slab	AC Overlay	
Name/No.	Exist	Mand Std	Prop	Ye	s or No	Exist	Mand. Std	Prop	Yes	or No

ks:  Mandatory Standards not being met, briefly explain why, and process required Design Exception Fact et.)
Background:
Need and Project Proposal:  (Include discussion on what type of landscaping or facility the access area will be used to maintain. What are the consequences of not doing this entire project?)

Al	ternatives Studied But Not Recommended: (List all alternatives studied, cost and reasons not recommended. Include discussion on why maintained landscaping or facility can not be removed, relocated, or modified to minimize maintenance demands.)
_	
  En	vironmental Issues:
_	
	her Agencies Involved (Permits/Approvals from Fish & Game, Corps of agineers, Coastal Commission, etc.):
Ot	her Considerations:
Ha	azardous waste disposal site required? If yes, where are sites?
M	aterials and or disposal site needs and availability?

Railroad Involvement?			
Consistency with Other Planning:			
Salvaging and recycling of hardware and	l other non-rend	ewable resource	es?
Prolonged temporary ramp closures?			
Cost Estimate Breakdown		0	
	Yes/No	Quantity (unit)	*Cost
Off Pavement Access Work	Yes/No		* <u>Cost</u>
Off Pavement Access Work  (A) Access Gates - Personnel	Yes/No		* <u>Cost</u>
Off Pavement Access Work  (A) Access Gates - Personnel  (B) Access Gates - Equipment	Yes/No		* <u>Cost</u>
Off Pavement Access Work  (A) Access Gates - Personnel  (B) Access Gates - Equipment  (C) Shoulder Widening/Turnouts**  (a) Paved Surface	<u>Yes/No</u>		* <u>Cost</u>
Off Pavement Access Work  (A) Access Gates - Personnel  (B) Access Gates - Equipment  (C) Shoulder Widening/Turnouts**  (a) Paved Surface  (b) All Weather Surface	Yes/No		* <u>Cost</u>
Off Pavement Access Work  (A) Access Gates - Personnel  (B) Access Gates - Equipment  (C) Shoulder Widening/Turnouts**  (a) Paved Surface  (b) All Weather Surface  (c) Graded Surface	<u>Yes/No</u>		
Off Pavement Access Work  (A) Access Gates - Personnel  (B) Access Gates - Equipment  (C) Shoulder Widening/Turnouts**  (a) Paved Surface  (b) All Weather Surface  (c) Graded Surface  (d) Other (Type) #	<u>Yes/No</u>	(unit)	* <u>Cost</u>
Off Pavement Access Work  (A) Access Gates - Personnel  (B) Access Gates - Equipment  (C) Shoulder Widening/Turnouts**  (a) Paved Surface  (b) All Weather Surface  (c) Graded Surface  (d) Other (Type) #	<u>Yes/No</u>	(unit)	
Off Pavement Access Work  (A) Access Gates - Personnel  (B) Access Gates - Equipment  (C) Shoulder Widening/Turnouts**  (a) Paved Surface  (b) All Weather Surface  (c) Graded Surface  (d) Other (Type) #  (D) Light Duty Access Trails  (a) Paved Surface	<u>Yes/No</u>	(unit)	
Off Pavement Access Work  (A) Access Gates - Personnel  (B) Access Gates - Equipment  (C) Shoulder Widening/Turnouts**  (a) Paved Surface  (b) All Weather Surface  (c) Graded Surface  (d) Other (Type) #  (D) Light Duty Access Trails  (a) Paved Surface  (b) All Weather Surface	<u>Yes/No</u>	(unit)	
Off Pavement Access Work  (A) Access Gates - Personnel  (B) Access Gates - Equipment  (C) Shoulder Widening/Turnouts**  (a) Paved Surface  (b) All Weather Surface  (c) Graded Surface  (d) Other (Type) #	Yes/No	(unit)	
(B) Access Gates - Equipment (C) Shoulder Widening/Turnouts**  (a) Paved Surface (b) All Weather Surface (c) Graded Surface (d) Other (Type) #  (D) Light Duty Access Trails (a) Paved Surface (b) All Weather Surface	Yes/No	(unit)	

13.

Add	itional Work	Yes/No	Quantity (unit)	*Cos
(A)	Traffic Control			
(B)	Earthwork***			
(C)	Pavement****			
	(include remove and replace)			
(D)	Clearing and Grubbing			
(E)	Other Landscape Related Work#			
	(List type of work)			
(F)	Guardrail (include remove and rep	lace)		
	(a) Metal Beam			
	(b) Concrete			
	(c) Bridge Approach			
	(d) Other (Type)#			
(G)	Drainage Adjustment and			
	Rehabilitation <sup>#</sup>			
	(List type of work)			
(H)	Retaining Walls			
(I)	Utility Relocation			
(J)	Railroad Agreements			
(K)	Right of Way			
(L)	Environmental Mitigation			
(M)	Other Work (Type)#			
		COSTS SUBT	OTAL	
		SUM OF SUB 20% Conting TOTAL PROJ	ency	
Prop	posed Funding (NHI, NHS, BR, etc	2.):		

Note: \* If duplicated in other items, show cost in parenthesis.

\*\* Include cost of shoulder backing material, as needed.

\*\*\* Earthwork other than that required for grading turnouts or access trails.

\*\*\*\* Pavement work other than that required for the Off Pavement Access work.

# Add Additional lines as necessary. Do not include support costs.

15A.	Has the project been field reviewed by	
	District Maintenance?	Date
	Headquarters Maintenance?	Date
	Others ?	Date
15B.	Project Reviewed by	
	District Safety	Date
	District Maintenance	Date
	HQ HA28 Program Advisor	Date
	HQ DLPP	Date
	FHWA	Date
	Type of federal involvement	Exempt, CA, or PxP)
	Others	

### 16. Project Support:

Proposed	District			Engineering Service Center PY'S					FY	Other
Program	PY'S			METS and Others		Structures		Office	Total	Costs
FY	Design	R/W	Constr	Design	Constr	Design	Constr	Engr	PY'S	(\$)
TOTAL ESTIMATED PROJECT PY'S AND OTHER SUPPORT COSTS:									PY'S	\$*

<sup>\*</sup> Note: Dollar value of estimated specialty contracts, etc. to be shown only when applicable.

#### 17. List of Attachments:

- A. Strip Map (may be eliminated if Vicinity Map on Cover Sheet is adequate)
- B. Typical Section(s)
- C. Proposed Project Schedule (PMCS-PYRS screen)
- D. Categorical Exemption/ Exclusion Form (or Draft/Final Environmental Document). If PSSR is for project approval, the CE form or the Final Environmental Document must be attached.
- E. Right of Way Data Sheet
- F. Field Review Attendance Roster (as appropriate)
- G. TASAS